

PRODUCT GUIDE 2023



Uniview Technologies

We are the pioneer and leader of IP video surveillance. Uniview has been innovating in the IP Video Surveillance industry. We are the 4th largest in the global video surveillance market. We focus on cooperation, high quality and consistant innovation.

Product Line:


Network Cameras, NVR's, IP Camera Testers, Monitors, all-in-one VMS Servers, and PoE Switches

WHY CHOOSE UNV PRODUCTS?

- World's Leading Surveillance Solution Provider
- Local Inventory, Local Support
- Less than 1% failure rate
- No Online Pricing for public
- Made Specially to with stand Canadian Weather
- Easy to use, Scalable & Flexible Products
- Mobile & Computer softwares for live view.
- Works perfectly with major VMS Software partners.
- Essential, Advance & Pro series of products for different use cases.



Essential Series: Entry Level Products, Suitable for Residential / Small Commercial Markets IPC3614SR3-ADF28(40)KM-G IPC328SR3-ADF28KM-G IPC3618SR3-ADF28(40)KM-G IPC3634SR3-ADZK-G IPC3635SR3-ADPZ-F IPC354SB-ADNF28K-I0 IPC3614SR3-ADF28KM-G-BK IPC324SR3-DSF40KM-G IPC328SR3-ADF40KM-G ΙP **CAMERAS** 4MP 2688x1520 25fps • 4K, 8MP 3840x2160 20fps 4MP 2688x1520 25fps • 5MP 2592x1944 20fps 2MP 1920x1080 30fps 4MP 2688x1520 25fps · 4MP 2688x1520 30fps 4K, 8MP 3840x2160 20fps · Lens (2.8mm, 4.0mm Fixed) · Lens (2.8mm, 4.0mm Fixed) • Lens (2.8-12mm Motorized) • Lens (2.8-12mm Motorized) • Lens (2.8mm Fixed) · Lens (2.8mm, 4.0mm Fixed) · Lens (2.8mm Fixed) · Lens (2.8mm, 4.0mm Fixed) • IR 30m • IR 30m, Harness free • IR 30m • Built In Mic, IP67 • Built In Mic, IP67 • Built In Mic, IP67 • IP67 & IK10 • IP67 & IK10 • Built In Mic, IP67 • Built In Mic, Alarm I/O • Built In Mic, IP67 & IK10 IPC2128SR5-ADF28KM-G IPC3534SR3-ADZK-G IPC2124SR5-ADF28KM-G IPC675LFW-AX4DUPKC-VG IPC9312LFW-AF28-2X4 SID Based Auto Tracking IPC3534SR3-ADZK-G-BK IPC2124SR5-ADF40KM-G IPC2128SR5-ADF40KM-G Fixed Lens + PTZ Do You Know? ColorHunter 24/7 Colorful Image Fisheve 360° Panaromic View





4MP 2688x1520 25fps

• Lens (2.8mm Fixed)

• IR & Warm LED 30m

• Min 0.003 Lux, IP67

• 5MP 2880x1620 30fps

• IR 40m, Build In Mic

• Min 0.002 Lux, IP67

· Lens (2.8mm, 4.0mm Fixed)

• 5MP 2880x1620 30fps

· Build In Mic & Speaker, IP67

• Lens (2.8mm Fixed)

• IR & LED 30m

4K, 8MP 3840x2160 20fps

• Build In Mic & Speaker, IP67

• Lens (2.8mm Fixed)

• IR & LED 30m

• 5MP 2592x1944 30fps

• 360° Panaromic, IR 10m

· Build In Mic, IP66 & IK10

• Lens (1.4mm Fixed)

· 4MP 2688x1520 30fps

• Min 0.002 Lux, IP67 & IK10

• Lens (2.8mm Fixed)

• IR 30m, Built In Mic

• 5MP 2880x1620 30fps

• IR 30m, Alarm I/O

· Lens (2.8mm, 4.0mm Fixed)

• Min 0.002 Lux, IP67 & IK10

4K, 8MP 3840x2160 20fps

• IR 30m, Alarm I/O

Min 0.0025 Lux, IP67

Lens (2.8mm, 4.0mm Fixed)

2MP 1920x1080 30fps

Built In Mic. IR 40m

Lens (2.7-13.5mm Motorized)

• Min 0.001 Lux, IP67 & IK10

Advance Series: Small & Medium Project Applications

IPC2225SE-DF40K-WL-I0 ColorHunter



- 5MP 2880x1620 25fps
- Lens (4.0mm Fixed)
- Alarm I/O, Audio I/O
- LED 30m, IP67 & IK10



IPC2105SB-ADF16KM-I0

180° View

- 5MP 2880x1620 30fps
- Lens (1.6mm Fixed)
- IR 20m. 180° Wide View
- IP67 & IK10





- · 4MP 2688x1520 30fps
- Lens (4.8-120mm Motorized)
- 25X Optical Zoom
- IR 100m, IP67 & IK10

IPC6622SR-X33-VF SID Based Auto Trackina



- 2MP 1920x1080 60fps
- Lens (4.5-148.5mm Motorized)

IPC3734SE-ADZK-I0

33X Optical Zoom • IR 150m, IP66

IPC6624SR-X33-VF

SID Based Auto Trackina

- 4MP 2688x1520 30fps
- Lens (4.5-148.5mm Motorized) 33X Optical Zoom
- IR 150m, IP66



IPC94144SFW-X25-F40C

Fixed Lens + PTZ

- 2 x 4MP 2688x1520 30fps
- Lens (4.8-120mm Motorized) • 25X Optical Zoom, IR 100m



- Warm LED 30m, IP66

Do You Know?

UNV Devices are compatible with major VMS Softwares.











IPC2324SE-ADZK-WL-I0



and many more...

Professional Series: High-End Applications (Commercial & Industrial Solutions) IPC3738SE-ADZK-I0

IPC3638SE-ADF28K-WL-I0



- 4K, 8MP 3840x2160 30fps

- Build In Mic, IP67 & IK10
- Lens (2.8mm Fixed)
- Min 0.0005 Lux, LED 30m



IPC3235SB-ADZK-I0

- 5MP 2880x1620 30fps
- · Lens (2.7-13.5mm Motorized)
- IP67 & IK10

IPC3238SB-ADZK-I0



- 4K, 8MP 3840x2160 20fps

- Min 0.002 Lux, IR 40m

IPC2328SB-D7K-I0

- IR 40m, Alarm I/O & Audio I/O
- Built In Mic. IP67 & IK10

- Lens (2.8-12mm Motorized)

HC121@TS8CR-7

LPR Support

- 4MP 2688x1520 30fps

- Lens (2.8-12mm Motorized)
- Min 0.0005 Lux, IR 40m IP67, IK10 & -40° Weatherproof

TIC2621SR-F3-4F4AC-VD

Thermal Intrusion Detection

4K, 8MP 3840x2160 30fps

right The state of the state of

- Lens (2.8-12mm Motorized)
- Min 0.0008 Lux, IR 40m
- IP67, IK10 & -40° Weatherproof

IPC6652FI-X33-VF

SID Based Auto Tracking

IPC86CEB-AF18KC-I0 360° Fish Eye



- 12MP 4000x3000 20fps
- · Lens (1.8mm Fixed), IR 15m

IPC6658SR-X25-VF

IPC6658SR-X25-VF-BK

 360° Panaromic, IP67 & IK10 • Build In Mic & Speaker

Min 0.002 Lux, IR 50m Alarm I/O, IP67 & IK10

5MP 2880x1620 30fps

IPC6854FR-X40G-VF

Lens (2.7-13.5mm Motorized)

IPC2325SB-DZK-I0



- IR 250m, Alarm I/O
- 40X Optical Zoom, IP66

SID Based Auto Tracking SID Based Auto Tracking



• 4MP 2688x1520 30fps

Alarm I/O, IP67 & IK10

· Lens (2.8-12mm Motorized)

IPC6858FR-X40-VF

Min 0.0005 Lux, LED 30m

- · Lens (5.7-228mm Motorized)
- IR 250m, Alarm I/O
- 40X Optical Zoom, IP66

IPC2K24SE-ADF40KMC-WL-I0





- 4MP 3840x1080 25fps
- Lens (4.0mm Fixed)
- 160° Wide View, LED 30m
- Alarm I/O, IP67 & IK10

IPC264SA-DZK



- Min 0.0005 Lux, IR 50m

· 4MP 2688x1520 30fps

• Alarm I/O, IP67 & IK10

- · Lens (2.8-12mm Motorized)





- Lens (2.8-12mm Motorized)
- Min 0.0025 Lux, IR 50m • Alarm I/O, IP67 & IK10



- 4K. 8MP 3840x2160 20fps
- 2MP 1920x1080 60fps
- · Lens (4.7-47mm Motorized)
- Min 0.001 Lux, IR 50m • LPR Support

- 4MP 2688x1520 30fps
- Lens (4mm Fixed)
- IR 50m, IP67 • Thermal Detection - 30m

- 2MP 1920x1080 60fps
- Lens (4.5-148.5mm Motorized) Min 0.001 Lux, VF Laser 500m 33X Optical Zoom, IP66

- 4K, 8MP 3840x2160 30fps
- · Lens (6-150mm Motorized)
- IR 200m, Alarm I/O • 25X Optical Zoom, IP66

- 4MP 2688x1520 30fps
- Lens (5.7-228mm Motorized)



- 4K, 8MP 3840x2160 30fps

AI

UNV Devices support DVIF

Do You Know?



- 2 Port PoE Splitter
- Utilize 1 Network Cable • Support up to 30W • Power up to 3 Cameras



PW2020-4T-IN

- Watchdog Al • PoE Port 4 up to 60W

• One port upto 250m



PW2020-5G-IN

- 4 Port PoE Switch
- 2 Uplink, 1 RJ45, 1 SFP • PoE Port 4 up to 60W



PW2020-6T2G-EX

- 8 Port Outdoor PoE Switch
- 2 Uplink Ports · Watchdog AI



PW2020-6T2G-IN

- 8 Port PoE Switch
- 2 Uplink, 1 SFP



- 16 Port PoE Switch
- 2 non-PoE GB Ports & 1 SFP Watchdog Al



- 24 Port PoE Switch • 2 non-PoE GB Uplink Ports



- 150-250M Single Core Fiber Support 1000Mbps Speed
- Support 1000m Distance

PoE SWITCHES & OPTICAL FIBER





- 4 Port PoE Switch
- Watchdog Al



Watchdog AI

• PoE Port 7 & 8 up to 60W







Essential Series

NVR501-04B-P4 NVR501-08B-P8

NETWORK VIDEO RECORDERS



- 4/8 Ch IP Input
- 4/8 PoE Ports
- 1 HDD Slot
- Bandwidth 80 Mbps
- 16MP Recording Resolution

NVR302-08E2-P8



- 8 Ch IP Input
- 8 PoE Ports
- 2 HDD Slot
- 4K Display Resolution
- 12MP Recording Resolution

NVR302-16E2

- 16 Ch IP Input
- 2 HDD Slots
- 4K Display Resolution
- 12MP Recording Resolution

NVR824-256R

NVR302-16E2-P16

· 16 Ch IP Input

Advance Series

- 2 HDD Slots
- 16 PoE Ports
- · Bandwidth 320 Mbps • 12MP Recording Resolution

DISPLAY SOLUTION

- 4K Display Resolution

NVR304-16E2-P16

NVR304-32E2-P16



- 16/32 Ch IP Input
- 16 PoE Ports
- 4 HDD Slots
- 4K Display Resolution
- 12MP Recording Resolution

NVR & Camera Kits

EK-S31P4T44T1-V2 EK-S31P8T46T2-V2



- 8 Ch NVR / 6 x 4MP Cameras
- 4K Display Resolution • 2 TB HDD Included
- 8MP Recording Resolution
- 4 Ch NVR / 4 x 2MP Cameras • 1 HDD Slots • 2 HDD Slots
 - Wi-Fi Kit / No PoE Ports • 1080p Display
 - 5MP Recording Resolution

KIT301-04LS3-

W/4*2122LB-ABF40WK-G

• 1 TB HDD included

Professional Series

THE RESERVE AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IN COLUMN TO THE PERSON NAMED IN COLUM

- 32 Ch IP Input
- Dual NICs
- 4 HDD Slot
- Bandwidth 384 Mbps
- 12MP Recording Resolution
- 64 Ch IP Input Dual NICs
- 8 HDD Slots
- 4K Display Resolution
- 12MP Recording Resolution

NVR308-64X

NVR516-128

- 128 Ch IP Input
- 4 NICs
- 16 HDD Slots

XVR302-16Q3

- Bandwidth 512 Mbps
- 12MP Recording Resolution
- - 256 Ch IP Input
 - 4 NICs
 - 24 HDD Slots
 - Bandwidth 768 Mbps

UAC-T125-AF28M-W

• 12MP Recording Resolution

KO-LED22A KO-LED24A



- 22" 1080p Resolution
- Supports 24/7 working
- · Support Audio Output
- · HDMI & VGA

• 4 Ch NVR / 4 x 4MP Cameras

• 8MP Recording Resolution

• 4K Display Resolution

• 1 TB HDD Included

• 1 HDD Slots

- 24" Self Adapt 4K Resolution
- Supports 24/7 working
- Support Audio Output
- HDMI & VGA

Do You Know?

Live view & Control your UNV devices from anywhere around the world with EZ View (Mobile app) & EZ Station (Desktop Software)



EZ View (Mobile App)







EZ Station (Desktop Software)

Compatible with Windows & Mac







Scan the QR-Code to download the **EZ View or EZ Station**

HYBRID SOLUTIONS

XVR301-08Q3

- 4 Ch IP Input • 8 BNC'S
- 1 HDD Slot
- 1080p Display Resolution
- 8MP Recording Resolution

Local: 647.559.3494

Toll Free: 855.956.3494

- 2 HDD Slot

- 16 BNC'S
- 4K Display Resolution
- 8MP Recording Resolution
- 8 Ch IP Input
 - 5MP Resolution • 1/2.7 CMOS Sensor
 - LED distance: 40m
 - · Build In Mic, IP67

Know? Low Failure Rate of below 1%

UAC-D125-AF28M

- 5MP Resolution
- 1/2.7 CMOS Sensor • IR Distance: 30m
- · Built In Mic, IP67 & IK10

AI SMART BOX

Detectes: Smart Intrusion Detection, Face Recognitions, No Mask Detection, **Long Stay Detection** & Fall Detection



ECS-504B-X-HD

ECS-508B-X-HD

- 4/8 Ch Intelligent Edge Computing Server
- 1 TB HDD included
- 128 Face Libraries
- 5000 Face images

IP Cameras 3 Years



PTZ Cameras





www.univiewcanada.com

Email: support@univiewcanada.com

Bi-lingual Technical Support Team Available Mon - Friday: 8am - 8pm

Sales: sales@univiewcanada.com

Technical Support: Support@univiewcanada.com

Disclaimer: All rights reserved, including final interpretation and content amendment.

Do You













Your Regional Distributor Name

