



Unlimited New View

PRODUCT GUIDE 2026

Uniview Technologies

We are the pioneer and leader of IP video surveillance. Uniview has been innovating in the IP Video Surveillance industry. We are the 4th largest in the global video surveillance market. We focus on cooperation, high quality and consistent innovation.

Product Line:

Network Cameras, NVRs, IP Camera Testers, Monitors, all-in-one VMS Servers, and PoE Switches



Wise-ISP
Series

Tri-guard 2.0
Series

Multi-Sensor
with Single IP

WHY CHOOSE UNV PRODUCTS?

Global Leader in
Surveillance Solutions

Local Stock
& Support

Reliable with <1%
Failure Rate

Exclusive Pricing
(not public)

Canadian
Weather-Resistant

User-Friendly, Scalable
& Adaptable

Live View on Mobile
& PC

Compatible with Major
VMS Partners


Product Series for
Varied Needs

V1.R1.2026

IP CAMERAS Essential Series: Entry Level Products, Suitable for Residential / Small Commercial Markets								
IPC3634SR4-ADZK-H  • 4MP 2688x1520 25fps • Lens (2.8-12mm Motorized) • IR 40m • Built In Mic, IP67	IPC3614SR-ADF28(40)KM-H IPC3614SR-ADF28KM-H-BK  • 4MP 2688x1520 25fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67	IPC3618SR-ADF28(40)KM-H  • 8MP 2688x1520 25fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67	IPC3624SR-ADF28(40)KM-WP IPC3624SR-ADF28KM-WP-BK  Wise-ISP • 4MP 2688x1520 25fps • Lens (2.8mm, 4.0mm Fixed) • Min 0.0003 Lux • Built In Mic, IP67	IPC3628SR-ADF28(40)KM-WP IPC3628SR-ADF28KM-WP-BK  Wise-ISP • 8MP 3840x2160 25fps • Lens (2.8mm, 4.0mm Fixed) • Min 0.0003 Lux • Built In Mic, IP67	IPC6415SR-X5UPW-VG  • 5MP 2880x1620 30fps • Lens (2.7-13.5mm Motorized) • 5x Optical Zoom, IR 30m • Build In Mic & Speaker • Indoor Only	IPC6434LR-X16-VG1  • 4MP 2688x1520 30fps • Lens (5.5-88mm Motorized) • 16x Optical Zoom, IR 100m • Alarm I/O, Audio I/O	IPC6324LWH-AX5C-VG2  Wise-ISP • 4MP 2688 × 1520 30fps • Lens (2.7 to 13.5 mm Motorized) • 40m LED • Built In Mic/ Speaker, IP66	IPC2318SR-ADF28KM-WP IPC2318SR-ADF40KM-WP  Wise-ISP • 8MP 3840x2160 20fps • Lens (2.8mm, 4.0mm Fixed) • LED Range 30m • Built In Mic, IP67
IPC322SR3-DVPF28-H  • 2MP 1920x1080 30fps • Lens (2.8mm Fixed) • IR 30m • IP67 & IK10	IPC324SR-ADF28(40)KM-H  • 4MP 2688x1520 25fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67 & IK10	IPC328SR-ADF28(40)KM-H  • 8MP 3840x2160 20fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67 & IK10	IPC3524SR-ADF28KM-WP IPC3524SR-ADF28KM-WP-BK  Wise-ISP • 4 MP 2688 × 1520 25fps • Lens 2.8mm • LED 30m • Built In Mic, IP67 & IK10	IPC3534SR4-ADZK-H IPC3534SR4-ADZK-H-BK  • 4MP 2688x1520 25fps • Lens (2.8-12mm Motorized) • IR 40m • Built In Mic, IP67, IK10	Did You Know? UNV Devices are compatible with major VMS Softwares.      and many more...			What We Offer  ColorHunter 24/7 Colorful Image  Fisheye 360° Panoramic View  Active Deterrence Light & Sound Alarm  AI Smart Features  -40° C Weather resistant  Wise-ISP First & Exclusive Nightview Technology

Advance Series: Small & Medium Project Applications							
IPC354SB-ADNF28K-I0  • 4MP 2688x1520 30fps • Lens (2.8mm Fixed) • IR 30m, Harness free • Built In Mic, Alarm I/O • Indoor Only	IPC325SS-ADF28(40)K-I1 IPC325SS-ADF28K-I1-BK  • 5MP 2880x1620 30fps • Lens (2.8mm, 4.0mm Fixed) • IR 40m, Min 0.002 Lux • IP67 & IK10	IPC328SS-ADF28K-I1  • 8MP 3840x2160 30fps • Lens (2.8mm Fixed) • IR 40m, Min 0.002 Lux • IP67 & IK10	IPC3224SS-ADF28K-I1 <i>Dual Sensor</i>  • 2x4MP 2688x1520 25fps • Lens (2.8 mm Fixed) • Built In Mic, IR 30m • Min 0.002 Lux, IP67 & IK10	IPC3635SS-ADF28K-I1 IPC3635SS-ADF28K-I1-BK  • 5MP 2880x1620 30fps • Lens (2.8mm, 4.0mm Fixed) • IR 40m • Built In Mic, IP67	IPC3638SS-ADF28K-I1 IPC3638SS-ADF28K-I1-BK  • 8MP 2880x1620 30fps • Lens (2.8mm, 4.0mm Fixed) • IR 40m • Built In Mic, IP67	IPC3635SS-ADF28KMC-I1 IPC3635SS-ADF28KMC-I1-BK  • 5MP 2880x1620 30fps • Lens (2.8mm Fixed) • IR 30m, Alarm I/O & Audio I/O • 0.001 Lux, IP67	IPC3638SS-ADF28KMC-I1 IPC3638SS-ADF28KMC-I1-BK  • 8MP 3840x2160 30fps • Lens (2.8mm Fixed) • IR 30m, Alarm I/O & Audio I/O • 0.001 Lux, IP67
IPC3608SB-ADF16KM-I0 <i>180° View</i>  • 8MP 3840x2160 30fps • Lens (1.68 mm Fixed lens) • IR 20m • Min 0.01 Lux, IP67 & IK10	IPC815SB-ADF14K-I0 <i>360° Fish Eye</i>  • 5MP 2592x1944 30fps • Lens (1.4mm Fixed) • 360° Panoramic, IR 10m • Build In Mic, IP66 & IK10	IPC2B14SE-ADF28K-WP-I1  Wise-ISP • 4 MP 2688 × 1520 30 fps • Lens (2.8mm) • LED 40m • Built In Mic, IK10, IP67, NEMA 4X	IPC2B18SS-ADF28KMC-I1  • 8MP 3840x2160 30fps • Lens (2.8mm, 4.0mm Fixed) • IR 40m • Built In Mic, IP67	IPC6612SR-X25(33)-VG <i>SIP Based Auto Tracking</i>  • 2MP 1920x1080 30fps • Lens (5-125mm, 4.5-148.5mm Motorized) • 25X, 33X Optical Zoom • IR 150m, IP66	IPC6424SR-X25-VF <i>SIP Based Auto Tracking</i>  • 4MP 2688x1520 30fps • Lens (4.8-120mm Motorized) • 25X Optical Zoom • IR 100m, IP67 & IK10	IPC94144SFW-X25-F40C IPC94144SFW-X25-F40C-BK  • 2 x 4MP 2688x1520 30fps • Lens (4.8-120mm Motorized) • 25X Optical Zoom, IR 100m • Warm LED 30m, IP66	Why Choose UNV? Reliable, Innovative, & Adaptable Solutions

Professional Series: High-End Applications (Commercial & Industrial Solutions)

IPC3638SE-ADF28K-WP-I1 Owlview Plus  • 8MP 3840x2160 30fps • 2.8mm Fixed Lens • Larger 1/1.2 CMOS Sensor • Built In Mic, IP67, IK10	IPC3638SE-ADZKMC-WP-I1 Owlview Plus  • 8MP 3840x2160 30fps • Lens 2.8 to 12 mm (Motorized) • Alarm I/O & Audio I/O • IP67, IK10, NEMA 4X	TIC3612SA-F3-4F4AC-I1 Thermal  • 4MP 2688x1520 30fps • 4.0mm Fixed Lens (Optical) • 3.0 mm Fixed Lens (Thermal) • IR 30m, Built In Mic, IP67	TIC3612SA-F7-4F6AC-I1 Thermal  • 4MP 2688x1520 30fps • 6.0mm Fixed Lens (Optical) • 7.0 mm Fixed Lens (Thermal) • IR 30m, Built In Mic, IP67	IPC3K28SE-ADF28KMC-DL-I0  • 8MP 4096 × 1860 20fps • Lenses (2.8mm Fixed) • IR 40m • Built In Mic, IP67 & IK10	IPC3235SB-ADZK-I0 AI  • 5MP 2880x1620 30fps • Lens (2.7-13.5mm Motorized) • Min 0.002 Lux, IR 40m • IP67 & IK10	IPC3238SB-ADZK-I0 AI  • 4K, 8MP 3840x2160 20fps • Lens (2.8-12mm Motorized) • IR 40m, Alarm I/O & Audio I/O • Built In Mic, IP67 & IK10	IPC3534LB-ADZK-H  • 4MP 2688x1520 25fps • 2.8-12 mm lens • IR 40m, Alarm I/O & Audio I/O • Built In Mic, IP67	IPC3734SE-ADZK-I0  • 4MP 2688x1520 30fps • Lens (2.8-12mm Motorized) • Min 0.0005 Lux, IR 40m • IP67, IK10 & -40° Weatherproof	IPC3738SE-ADZK-I0 [Special Order]  • 4K, 8MP 3840x2160 30fps • Lens (2.8-12mm Motorized) • Min 0.0008 Lux, IR 40m • IP67, IK10 & -40° Weatherproof	IPC8645EA-ADZKM-I1 Multi-Sensor Dome  • 20MP 2880*1620 30fps • 4 channel video output • 1 license for third-party VMS • Built In Mic, IP67
IPC86CEB-AF18K-I0 360° Fish Eye  • 12MP 4000x3000 20fps • Lens (1.8mm Fixed), IR 15m • 360° Panoramic, IP67 & IK10 • Build In Mic & Speaker	IPC2B24SS-ADZK-I1  • 4MP 2688x1520 30fps • F1.2 Motorized lens • IR 60m, Built In Mic, • IP67 & IK10	IPC2B18SE-ADZKMC-WP-I1 Owlview Plus [Special Order]  • 8MP 3840x2160 30fps • Lens 2.8 to 12 mm (Motorized) • Alarm I/O & Audio I/O • IP67, IK10, NEMA 4X	TIC2A32SA-F10-4F8AC-I1 Thermal  • 4MP 2688x1520 30fps • 8.0mm fixed lens(Optical) • 10.0 mm fixed lens(thermal) • IR 50m, Built In Mic, IP67	IPC2K28SE-ADF40KMC-WL-I0 ColorHunter  • 8MP 5120x1440 20fps • Lens (4.0mm Fixed) • 180° Wide View, LED 30m • Alarm I/O, IP67	IPC2328SB-DZK-I0 AI  • 4K, 8MP 3840x2160 20fps • Lens (2.8-12mm Motorized) • Min 0.0025 Lux, IR 50m • Alarm I/O, IP67 & IK10	PKC2641-Z80-IR-P LPR Support  • 4MP 2688x1520 60fps • Lens 8-32mm (Motorized) • Alarm I/O & Audio I/O, ANPR • IR50m, IP67, IK10	IPC6658SR-X25-VF IPC6658SR-X25-VF-BK  • 4K, 8MP 3840x2160 30fps • Lens (6-150mm Motorized) • IR 200m, Alarm I/O • 25X Optical Zoom, IP66	IPC6824ER-X42-W-VH2 SIP Based Auto Tracking  • 4MP 2688 × 1520 60fps • Lens (6-252 mm Motorized) • IR 500m, Alarm I/O & Audio I/O • 42X Optical Zoom, IP67	IPC6858ER-X40-VF SIP Based Auto Tracking  • 4K, 8MP 3840x2160 30fps • Lens (5.7-228mm Motorized) • IR 250m, Alarm I/O • 40X Optical Zoom, IP66	IPC7622ER-X44-VF [Special Order]  • 2MP 1920x1080 60fps • Lens 5-220mm (Motorized) • EIS (Gyroscope) • IR300m, IP67

	PW-POE-P30	PW2020-4T-IN	PW2020-4TENC11-EX	PW2020-5G-IN	PW2020-8G-IG	PW2020-6T2G-EX	PW2020-6T2G-IN	PW2020-14T2G-IN	PW2020-22T2G-IN	PW-DC-2225C
① Non UNV PoE SWITCHES & OPTICAL FIBER	 • 2 Port PoE Splitter • Utilize 1 Network Cable • Support up to 30W • Power up to 3 Cameras	 • 4 Port PoE Switch • Watchdog AI • PoE Port 4 up to 60W • One port upto 250m	 • 4 Port PoE switch enclosure • 3 RJ45 • AI Function • Port 4 support up to 60W	 • 4 Port PoE Switch • 2 Uplink, 1 RJ45, 1 SFP • Watchdog AI • PoE Port 4 up to 60W	 • 8 Port PoE industrial switch • 8 RJ45 • AI Function • Port 7-8 support up to 60W	 • 8 Port Outdoor PoE Switch • 2 Uplink Ports • Watchdog AI	 • 8 Port PoE Switch • 2 Uplink, 1 SFP • Watchdog AI • PoE Port 7 & 8 up to 60W	 • 16 Port PoE Switch • 2 non-PoE GB Ports & 1 SFP • Watchdog AI • PoE Port 15 & 16 up to 60W • One port upto 250 m	 • 24 Port PoE Switch • 2 non-PoE GB Uplink Ports • Watchdog AI • PoE Port 23 & 24 up to 60W	 • Outdoor Grade, Single Mode • Dual Core Fiber • Support 1000Mbps Speed • Support 1000m Distance



Technical Support

Bi-lingual Technical Support Team
 Available Mon - Friday: 8am - 8pm
 Local: 647.559.3494
 Toll Free: 855.956.3494
 Email: support@univiewcanada.com

Did You Know? UNV Has Low Failure Rate of below 1%

UNV Devices
support


Live View & Access Your

UNV Devices from anywhere around the world with
UNV Link (Mobile App)& EZ Station (Desktop Software)



Download
UniEase



Download
EZ Station



UniEase
(Mobile App)






EZ Station
(Desktop Software)

Compatible with




UNV Product Warranty

Product Type	Warranty Period
IP Cameras	3 Years
PTZ Cameras	2 Years
Network Video Recorders	3 Years



www.univiewcanada.com

Sales: sales@univiewcanada.com
Technical Support: Support@univiewcanada.com

Disclaimer: All rights reserved, including final interpretation and content amendment.

Third-party products or non-UNV products shown in this guide are for reference only and are not sold by UNV. No endorsement or partnership is implied.

Your Regional Distributor Name

NETWORK
VIDEO
RECORDERS

Essential Series

NVR501-04B-P4
NVR501-08B-P8



- 4/8 Ch IP Input
- 4/8 PoE Ports
- 1 HDD Slot
- Bandwidth 80 Mbps
- 16MP Recording Resolution

Advance Series

NVR502-08B-P8



- 8 Ch IP Input
- 8 PoE Ports
- 2 HDD Slots
- Bandwidth 320 Mbps
- 16MP Recording Resolution

NVR502-16B



- 16 Ch IP Input
- 2 HDD Slots
- 4K Display Resolution
- 16MP Recording Resolution

NVR502-16B-P16



- 16 Ch IP Input
- 16 PoE Ports
- 2 HDD Slots
- 4K Display Resolution
- 16MP Recording Resolution

NVR504-16B-P16
NVR504-32B-P16



- 16/32 Ch IP Input
- 16 PoE Ports
- 4 HDD Slots
- 4K Display Resolution
- 16MP Recording Resolution

Advance and Professional IQ Series

NVR502-08B-P8-IQ
AcuSearch & Color Retrieval



- 8 Ch IP Input
- 8 PoE Ports
- 2 HDD Slots
- 4K Display Resolution
- 16MP Recording Resolution

NVR502-16B-P16-IQ
AcuSearch & Color Retrieval



- 16 Ch IP Input
- 16 PoE Ports
- 2 HDD Slots
- 4K Display Resolution
- 16MP Recording Resolution

NVR508-64E-R-IQ
AcuSearch & Color Retrieval



- 64 Ch Input
- 8 HDD Slots
- 4K Display Solution
- 32MP Recording Resolution

Smart Management Boxes

SMBOX01-R-US
AC Model



- 8Channel IQ NVR
- Smart power management
- Heater, fan, and warning light
- Surge protection

SMBOX02-R
DC Model



- 8Channel IQ NVR
- Smart power management
- Fan, and warning light
- Surge protection

Professional Series

NVR508-32E-R



- 32 Ch IP Input
- 8 HDD Slots
- 4K Display Resolution
- 32MP Recording Resolution

NVR516-128E-R



- 128 Ch Input
- 2 Gigabit NICs
- 16 HDD Slots
- 4K Display Solution
- 32MP Recording Resolution

NVR824-256R



- 256 Ch IP Input
- 4 NICs
- 24 HDD Slots
- Bandwidth 768 Mbps
- 12MP Recording Resolution

NVR & CAMERA KITS

EKDL-S31P4T44T1



- 4 Ch NVR / 4 x 4MP Cameras
- 1 HDD Slots
- 4K Display Solution
- 4 MP Recording Resolution
- 1 TB HDD Included

EKDL-S31P8T46T2



- 8 Ch NVR / 6 x 4MP Cameras
- 1 HDD Slots
- 4K Display Solution
- 4 MP Recording Resolution
- 2 TB HDD Included

Display Solution

MW-LC22



- 22" 1080p Resolution
- 75Hz refresh rate
- HDMI & VGA

MW-LC24



- 24" 1080p Resolution
- 75Hz refresh rate
- HDMI & VGA

MW-LC27



- 27" 1080p Resolution
- 75Hz refresh rate
- HDMI & VGA

HYBRID
SOLUTIONS

XVR301-08Q3



- 8 BNC'S
- Upto 4 Ch IP Input
- 1 HDD Slot
- 1080p Display Resolution
- 8MP Recording Resolution

XVR302-16Q3



- 16 BNC'S
- Upto 8 Ch IP Input
- 2 HDD Slots
- 4K Display Resolution
- 8MP Recording Resolution

XVR302-32Q3



- 32 BNC'S
- Upto 36 Ch IP Input
- 2 HDD Slots
- 4K Display Resolution
- 8MP Recording Resolution

UAC-T125-AF28M-W



- 5MP Resolution
- 1/2.7 CMOS Sensor
- LED distance: 40m
- Build In Mic, IP67

UAC-D125-AF28M



- 5MP Resolution
- 1/2.7 CMOS Sensor
- IR Distance: 30m
- Built In Mic, IP67 & IK10

ACCESSORIES

ED-525B-WB
Dual Lens Doorbell



- 3MP+2MP Cameras
- Package Detection + Alerts
- IR+LED Lights, 2-Way Audio
- UMD, IP65

IPS302030-S
30W Outdoor IP Speaker



- Camera Alarm Linkage
- 130 dB, PoE Powered
- Custom Audio, 2-way Audio
- Broadcast modes, IP66

GCB01-B7
UNV-LINK PRO CONNECT BOX



- 1 Port PoE Power
- Lithium battery: 7500mAh
- Power & Configure UNV Cameras via UNV-Link Pro
- Connect via SSID

KB-1100-E



- 4" inch Display Screen
- 4 Dimensional Joystick
- Support Keyboard Lock
- Allows to set multi-level user permissions

KOVO-VMS 280 Pro
Mini PC (EzStation Preloaded)



- Intel® Core™ i5-12600H
- 32GB DDR4 RAM
- 512 GB PCIe Storage
- 2 HDMI,
- 2 RJ45 Ethernet Ports



Technical Support

Bi-lingual Technical Support Team

Available Mon - Friday: 8am - 8pm

Local: 647.559.3494

Toll Free: 855.956.3494

Email: support@univiewcanada.com

Did You Know?

UNV Has Low Failure Rate of below 1%

UNV Devices support



UNV Product Warranty

 IP Cameras
3 Years

 PTZ Cameras
2 Years

 Network Video Recorders
3 Years



www.univiewcanada.com
Sales: sales@univiewcanada.com
Technical Support: support@univiewcanada.com
Disclaimer: All rights reserved, including final interpretation and content amendment.

Your Regional Distributor Name