

PRODUCT GUIDE 2026



Wise-ISP Series Tri-guard 2.0 Series Multi-Sensor with Single IP

Uniview Technologies

We are the pioneer and leader of IP video surveillance. Uniview has been innovating in the IP Video Surveillance industry. We are the 4th largest in the global video surveillance market. We focus on cooperation, high quality and consistent innovation.

Product Line:
Network Cameras, NVRs, IP Camera Testers, Monitors, all-in-one VMS Servers, and PoE Switches

WHY CHOOSE UNV PRODUCTS?

- Global Leader in Surveillance Solutions
- Local Stock & Support
- Reliable with <1% Failure Rate
- Exclusive Pricing (not public)
- Canadian Weather-Resistant
- User-Friendly, Scalable & Adaptable
- Live View on Mobile & PC
- Compatible with Major VMS Partners
- Product Series for Varied Needs























IP CAMERAS Essential Series: Entry Level Products, Suitable for Residential / Small Commercial Markets










<p>IPC3634SR4-ADZK-H</p>  <ul style="list-style-type: none"> •4MP 2688x1520 25fps •Lens (2.8-12mm Motorized) •IR 40m •Built In Mic, IP67 	<p>IPC3614SR-ADF28(40)KM-H IPC3614SR-ADF28KM-H-BK</p>  <ul style="list-style-type: none"> • 4MP 2688x1520 25fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67 	<p>IPC3618SR-ADF28(40)KM-H</p>  <ul style="list-style-type: none"> • 8MP 2688x1520 25fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67 	<p>IPC3624SR-ADF28(40)KM-WP IPC3624SR-ADF28KM-WP-BK</p> <p>Wise-ISP</p>  <ul style="list-style-type: none"> • 4MP 2688x1520 25fps • Lens (2.8mm, 4.0mm Fixed) • Min 0.0003 Lux • Built In Mic, IP67 	<p>IPC3628SR-ADF28(40)KM-WP IPC3628SR-ADF28KM-WP-BK</p> <p>Wise-ISP</p>  <ul style="list-style-type: none"> • 8MP 3840x2160 25fps • Lens (2.8mm, 4.0mm Fixed) • Min 0.0003 Lux • Built In Mic, IP67 	<p>IPC6434LR-X16-VG1</p>  <ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (5.5-88mm Motorized) • 16x Optical Zoom, IR 100m • Alarm I/O, Audio I/O 	<p>IPC6324LWH-AX5C-VG2</p> <p>Wise-ISP</p>  <ul style="list-style-type: none"> • 4MP 2688 × 1520 30fps • Lens (2.7 to 13.5 mm Motorized) • 40m LED • Built In Mic/ Speaker, IP66 	<p>IPC2318SR-ADF28KM-WP IPC2318SR-ADF40KM-WP</p> <p>Wise-ISP</p>  <ul style="list-style-type: none"> • 8MP 3840x2160 20fps • Lens (2.8mm, 4.0mm Fixed) • LED Range 30m • Built In Mic, IP67 	<p>IPC322SR3-DVPF28-H</p>  <ul style="list-style-type: none"> •2MP 1920x1080 30fps •Lens (2.8mm Fixed) •IR 30m •IP67 & IK10
<p>IPC324SR-ADF28(40)KM-H</p>  <ul style="list-style-type: none"> • 4MP 2688x1520 25fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67 & IK10 	<p>IPC328SR-ADF28(40)KM-H</p>  <ul style="list-style-type: none"> • 8MP 3840x2160 20fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67 & IK10 	<p>IPC3524SR-ADF28KM-WP IPC3524SR-ADF28KM-WP-BK</p> <p>Wise-ISP</p>  <ul style="list-style-type: none"> • 4 MP 2688 × 1520 25fps • Lens 2.8mm • LED 30m • Built In Mic, IP67 & IK10 	<p>IPC3534SR4-ADZK-H IPC3534SR4-ADZK-H-BK</p>  <ul style="list-style-type: none"> • 4MP 2688x1520 25fps • Lens (2.8-12mm Motorized) • IR 40m • Built In Mic, IP67, IK10 	<p>Upgrade your ONVIF Hardware With AI and Advanced Analytics</p> <p>AI in the Cloud, Confidence on the Ground</p> <p>CREATE A CUSTOM ALERT EMAIL & SMS ALERTS TAKE ACTION</p> <p>For more info visit AICLUV.com</p>	<p>Did You Know?</p> <p>UNV Devices are compatible with major VMS Softwares.</p> <p>immix milestone EAGLE EYE NETWORKS exacq</p> <p>and many more...</p>	<p>What We Offer</p> <ul style="list-style-type: none"> ColorHunter 24/7 Colorful Image Fisheye 360° Panoramic View Active Deterrence Light & Sound Alarm AI Smart Features -40° C Weather resistant Wise-ISP First & Exclusive Nightview Technology 		

Advance Series: Small & Medium Project Applications

<p>IPC3234SB-ADZKM-DL-I1</p>  <ul style="list-style-type: none"> • 4 MP (2688 × 1520) 30fps • Lens (2.7 to 13.5 mm Motorized) • Built In Mic, IP67 & IK10 • LED 40m, IR 40m 	<p>IPC354SB-ADNF28K-I0</p>  <ul style="list-style-type: none"> •4MP 2688x1520 30fps •Lens (2.8mm Fixed) •IR 30m, Harness free •Built In Mic, Alarm I/O • Indoor Only 	<p>IPC325SS-ADF28(40)K-I1 IPC325SS-ADF28K-I1-BK</p>  <ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.8mm, 4.0mm Fixed) • IR 40m, Min 0.002 Lux • IP67 & IK10 	<p>IPC328SS-ADF28K-I1</p>  <ul style="list-style-type: none"> • 8MP 3840x2160 30fps • Lens (2.8mm Fixed) • IR 40m, Min 0.002 Lux • IP67 & IK10 	<p>IPC3224SS-ADF28K-I1 <i>Dual Sensor</i></p>  <ul style="list-style-type: none"> •2x4MP 2688x1520 25fps •Lens (2.8 mm Fixed) •Built In Mic, IR 30m •Min 0.002 Lux, IP67 & IK10 	<p>IPC3635SS-ADF28K-I1 IPC3635SS-ADF28K-I1-BK</p>  <ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.8mm, 4.0mm Fixed) • IR 40m • Built In Mic, IP67 	<p>IPC3638SS-ADF28K-I1 IPC3638SS-ADF28K-I1-BK</p>  <ul style="list-style-type: none"> • 8MP 2880x1620 30fps • Lens (2.8mm, 4.0mm Fixed) • IR 40m • Built In Mic, IP67 	<p>IPC3635SS-ADF28KMC-I1 IPC3635SS-ADF28KMC-I1-BK</p>  <ul style="list-style-type: none"> •5MP 2880x1620 30fps •Lens (2.8mm Fixed) •IR 30m, Alarm I/O & Audio I/O •0.001 Lux, IP67 	<p>IPC3638SS-ADF28KMC-I1 IPC3638SS-ADF28KMC-I1-BK</p>  <ul style="list-style-type: none"> •8MP 3840x2160 30fps •Lens (2.8mm Fixed) •IR 30m, Alarm I/O & Audio I/O •0.001 Lux, IP67
<p>IPC3238SB-ADZKM-DL-I1</p>  <ul style="list-style-type: none"> • 8MP 3840 × 2160 25ps • Lens (2.8 to 12 mm Motorized) • Built In Mic, IP67 & IK10 • LED 40m, IR 40m 	<p>IPC3608SB-ADF16KM-I0 <i>180° View</i></p>  <ul style="list-style-type: none"> •8MP 3840x2160 30fps •Lens (1.68 mm Fixed lens) •IR 20m •Min 0.01 Lux, IP67 & IK10 	<p>IPC816SB-ADF16KMC-I1 <i>360° Fish Eye</i></p>  <ul style="list-style-type: none"> • 6 MP (2560 × 2560) 30fps • Lens (1.6 mm) • 360° Panoramic, IR 15M • Built In Mic, IP67 & IK10 	<p>IPC2B14SE-ADF28K-WP-I1</p> <p>Wise-ISP</p>  <ul style="list-style-type: none"> • 4 MP 2688 × 1520 30 fps • Lens (2.8mm) • LED 40m • Built In Mic, IK10, IP67, NEMA 4X 	<p>IPC2B18SS-ADF28KMC-I1</p>  <ul style="list-style-type: none"> • 8MP 3840x2160 30fps • Lens (2.8mm Fixed) • IR 40m • Built In Mic, IP67 	<p>IPC6612SR-X25(33)-VG <i>SIP Based Auto Tracking</i></p>  <ul style="list-style-type: none"> •2MP 1920x1080 30fps •Lens (5-125mm, 4.5-148.5mm Motorized) •25X, 33X Optical Zoom •IR 150m, IP66 	<p>IPC6424SR-X25-VF <i>SIP Based Auto Tracking</i></p>  <ul style="list-style-type: none"> •4MP 2688x1520 30fps •Lens (4.8-120mm Motorized) •25X Optical Zoom •IR 100m, IP67 & IK10 	<p>IPC94144SPW-X25-F40C IPC94144SPW-X25-F40C-BK</p>  <ul style="list-style-type: none"> • 2 x 4MP 2688x1520 30fps • Lens (4.8-120mm Motorized) • 25X Optical Zoom, IR 100m • Warm LED 30m, IP66 	<p>Why Choose UNV?</p> <p>Reliable, Innovative, & Adaptable Solutions</p>

Professional Series: High-End Applications (Commercial & Industrial Solutions)

<p>IPC3638SE-ADF28K-WP-I1 <i>Owlview Plus</i></p>  <ul style="list-style-type: none"> • 8MP 3840x2160 30fps • 2.8mm Fixed Lens • Larger 1/1.2 CMOS Sensor • Built In Mic, IP67, IK10 	<p>IPC3638SE-ADZKMC-WP-I1 <i>Owlview Plus</i></p>  <ul style="list-style-type: none"> • 8MP 3840x2160 30fps • Lens 2.8 to 12 mm (Motorized) • Alarm I/O & Audio I/O • IP67, IK10, NEMA 4X 	<p>TIC3612SA-F3-4F4AC-I1 <i>Thermal</i></p>  <ul style="list-style-type: none"> • 4MP 2688x1520 30fps • 4.0mm Fixed Lens (Optical) • 3.0 mm Fixed Lens (Thermal) • IR 30m, Built In Mic, IP67 	<p>TIC3612SA-F7-4F6AC-I1 <i>Thermal</i></p>  <ul style="list-style-type: none"> • 4MP 2688x1520 30fps • 6.0mm Fixed Lens (Optical) • 7.0 mm Fixed Lens (Thermal) • IR 30m, Built In Mic, IP67 	<p>IPC3K28SE-ADF28KMC-DL-I0</p>  <ul style="list-style-type: none"> • 8MP 4096 × 1860 20fps • Lenses (2.8mm Fixed) • IR 40m • Built In Mic & Speaker • IP67 	<p>IPC876SE-ADF28KMC-I1</p>  <ul style="list-style-type: none"> • 6MP (2560x2560) 30fps • Lenses (2.0 mm Fixed) • IR 15 mm • Built In Mic & Speaker • IP67 & IK10 	<p>IPC2B14SE-ADZKMC-WP-I1 <i>AI</i></p>  <ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8-12mm Motorized) • IR 40m, Alarm I/O & Audio I/O • Built In Mic, IP67 	<p>IPC3534LB-ADZK-H</p>  <ul style="list-style-type: none"> • 4MP 2688x1520 25fps • 2.8-12 mm lens • IR 40m, Alarm I/O & Audio I/O • Built In Mic, IP67 	<p>IPC3734SE-ADZK-I0</p>  <ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8-12mm Motorized) • Min 0.0005 Lux, IR 40m • IP67, IK10 & -40° Weatherproof 	<p>IPC3738SE-ADZK-I0 <i>[Special Order]</i></p>  <ul style="list-style-type: none"> • 4K, 8MP 3840x2160 30fps • Lens (2.8-12mm Motorized) • Min 0.0008 Lux, IR 40m • IP67, IK10 & -40° Weatherproof 	<p>IPC8645EA-ADZKM-I1 <i>Multi-Sensor Dome</i></p>  <ul style="list-style-type: none"> • 20MP 2880*1620 30fps • 4 channel video output • 1 license for third-party VMS • Built In Mic, IP67
<p>IPC86CEB-AF18K-I0 <i>360° Fish Eye</i></p>  <ul style="list-style-type: none"> • 12MP 4000x3000 20fps • Lens (1.8mm Fixed), IR 15m • 360° Panoramic, IP67 & IK10 • Build In Mic & Speaker 	<p>IPC2B14SE-ADZKMC-WP-I1 <i>Owlview Plus</i></p>  <ul style="list-style-type: none"> • 4 MP (2688 × 1520) 30fps • Lens 2.8 to 12 mm (Motorized) • Alarm I/O & Audio I/O • IP67, IK10, NEMA 4X 	<p>IPC2B18SE-ADZKMC-WP-I1 <i>Owlview Plus</i></p>  <ul style="list-style-type: none"> • 8MP 3840x2160 30fps • Lens 2.8 to 12 mm (Motorized) • Alarm I/O & Audio I/O • IP67, IK10, NEMA 4X 	<p>TIC2A32SA-F10-4F8AC-I1 <i>Thermal</i></p>  <ul style="list-style-type: none"> • 4MP 2688x1520 30fps • 8.0mm fixed lens(Optical) • 10.0 mm fixed lens(thermal) • IR 50m, Built In Mic, IP67 	<p>IPC2K28SE-ADF40KMC-WL-I0 <i>ColorHunter</i></p>  <ul style="list-style-type: none"> • 8MP 5120x1440 20fps • Lens (4.0mm Fixed) • 180° Wide View, LED 30m • Alarm I/O, IP67 	<p>IPC2328SB-DZK-I0 <i>AI</i></p>  <ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8-12mm Motorized) • Min 0.0025 Lux, IR 50m • Alarm I/O, IP67 & IK10 	<p>PKC2641-Z80-IR-P <i>LPR Support</i></p>  <ul style="list-style-type: none"> • 4MP 2688x1520 60fps • Lens 8-32mm (Motorized) • Alarm I/O & Audio I/O, ANPR • IR50m, IP67, IK10 	<p>IPC6658SR-X25-VF</p>  <ul style="list-style-type: none"> • 4K, 8MP 3840x2160 30fps • Lens (6-150mm Motorized) • IR 200m, Alarm I/O • 25X Optical Zoom, IP66 	<p>IPC6824ER-X42-W-VH2 <i>SIP Based Auto Tracking</i></p>  <ul style="list-style-type: none"> • 4MP 2688 × 1520 60fps • Lens (6-252 mm Motorized) • IR 500m, Alarm I/O & Audio I/O • 42X Optical Zoom, IP67 	<p>IPC6858ER-X40-VF <i>SIP Based Auto Tracking</i></p>  <ul style="list-style-type: none"> • 4K, 8MP 3840x2160 30fps • Lens (5.7-228mm Motorized) • IR 250m, Alarm I/O • 40X Optical Zoom, IP66 	<p>IPC98344ER-GX42-E8-W-VH3 <i>[Special Order]</i></p>  <ul style="list-style-type: none"> • 32MP 11520 × 2700 @ 30fps • 4MP 2688 × 1520 @ 60fps • 360° Panoramic View • Panoramic linkage to PTZ • Built In Mic, IP67

<p>ⓘ Non UNV PoE SWITCHES & OPTICAL FIBER</p>	<p>PW-POE-P30</p>  <ul style="list-style-type: none"> • 2 Port PoE Splitter • Utilize 1 Network Cable • Support up to 30W • Power up to 3 Cameras 	<p>PW2020-4T-IN</p>  <ul style="list-style-type: none"> • 4 Port PoE Switch • Watchdog AI • PoE Port 4 up to 60W • One port upto 250m 	<p>PW2020-4TENC11-EX</p>  <ul style="list-style-type: none"> • 4 Port PoE switch enclosure • 3 RJ45 • AI Function • Port 4 support up to 60W 	<p>PW2020-8G-IG</p>  <ul style="list-style-type: none"> • 8 Port PoE industrial switch • 8 RJ45 • AI Function • Port 7-8 support up to 60W 	<p>PW2020-6T2G-EX</p>  <ul style="list-style-type: none"> • 8 Port Outdoor PoE Switch • 2 Uplink Ports • Watchdog AI 	<p>PW2020-8T-IN</p>  <ul style="list-style-type: none"> • 8 Port PoE Switch • 2 Uplink, 1 SFP • Watchdog AI • PoE Port 7 & 8 up to 60W 	<p>PW2020-16T-2F-IN</p>  <ul style="list-style-type: none"> • 16 Port PoE Switch • 2 non-PoE GB Ports & 1 SFP • Watchdog AI • PoE Port 15 & 16 up to 60W • One port upto 250 m 	<p>PW2020-24T-2F-IN</p>  <ul style="list-style-type: none"> • 24 Port PoE Switch • 2 non-PoE GB Uplink Ports • Watchdog AI • PoE Port 23 & 24 up to 60W 	<p>PW-DC-2225C</p>  <ul style="list-style-type: none"> • Outdoor Grade, Single Mode • Dual Core Fiber • Support 1000Mbps Speed • Support 1000m Distance
---	--	--	---	--	--	---	--	--	--



Technical Support
 Bi-lingual Technical Support Team
 Available Mon - Friday: 8am - 8pm
 Local: 647.559.3494
 Toll Free: 855.956.3494
 French Line: 514.800.1121
 Email: support@univiewcanada.com

Did You Know? UNV Has Low Failure Rate of below 1%

UNV Devices support


Live View & Access Your
 UNV Devices from anywhere around the world with UNV Link (Mobile App) & EZ Station (Desktop Software)


 Download UniEase
 Download EZ Station

 **UniEase (Mobile App)**
 **EZ Station (Desktop Software)**

Compatible with Windows & Mac

UNV Product Warranty

 IP Cameras 3 Years
 PTZ Cameras 2 Years
 Network Video Recorders 3 Years

 www.univiewcanada.com
 Sales: sales@univiewcanada.com
 Technical Support: Support@univiewcanada.com
 Disclaimer: All rights reserved, including final interpretation and content amendment.

 Your Regional Distributor Name

Third-party products or non-UNV products shown in this guide are for reference only and are not sold by UNV. No endorsement or partnership is implied.

Essential Series


NVR501-04B-P4 NVR501-08B-P8



- 4/8 Ch IP Input
- 4/8 PoE Ports
- 1 HDD Slot
- Bandwidth 80 Mbps
- 16MP Recording Resolution

Advance Series

NVR502-08B-P8	NVR502-16B	NVR502-16B-P16	NVR504-16B-P16 NVR504-32B-P16
---------------	------------	----------------	----------------------------------



- 8 Ch IP Input
- 8 PoE Ports
- 2 HDD Slots
- Bandwidth 320 Mbps
- 16MP Recording Resolution


- 16 Ch IP Input
- 2 HDD Slots
- 4K Display Resolution
- 16MP Recording Resolution

- 16 Ch IP Input
- 16 PoE Ports
- 2 HDD Slots
- 4K Display Resolution
- 16MP Recording Resolution

- 16/32 Ch IP Input
- 16 PoE Ports
- 4 HDD Slots
- 4K Display Resolution
- 16MP Recording Resolution

Advance and Professional IQ Series

NVR502-08B-P8-IQ AcuSearch & Color Retrieval	NVR502-16B-P16-IQ AcuSearch & Color Retrieval	NVR504-32E-IQ	NVR508-64E-R IQ AcuSearch & Color Retrieval
---	--	---------------	--



- 8 Ch IP Input
- 8 PoE Ports
- 2 HDD Slots
- 4K Display Resolution
- 16MP Recording Resolution

- 16 Ch IP Input
- 16 PoE Ports
- 2 HDD Slots
- 4K Display Resolution
- 16MP Recording Resolution

- 32 Ch IP Input
- 4 HDD Slots
- 4K Display Resolution
- Advanced AI Analytics

- 64 Ch Input
- 8 HDD Slots
- 4K Display Solution
- 32MP Recording Resolution

Professional Series

NVR516-128E-R	NVR824-256R
---------------	-------------




- 128 Ch Input
- 2 Gigabit NICs
- 16 HDD Slots
- 4K Display Solution
- 32MP Recording Resolution

- 256 Ch IP Input
- 4 NICs
- 24 HDD Slots
- Bandwidth 768 Mbps
- 12MP Recording Resolution

Dual Light Kits

EKDL-S31P4T44T1	EKDL-S31P8T46T2
-----------------	-----------------



- Cameras
- Recording
- Analytics


- 4 Ch NVR
- 4 x 4MP Cameras
- 1 HDD Slots
- 4K Display Solution
- 4 MP Rec-Resolution
- 1 TB HDD Included

- 8 Ch NVR
- 6 x 4MP Cameras
- 1 HDD Slots
- 4K Display Solution
- 4 MP Rec-Resolution
- 2 TB HDD Included

Smart Management Box

CCTV Boxes

SMBOX01-R-US AC Model	SMBOX02-R DC Model	SMBOX01-R-US-NO-NVR Base Model
--------------------------	-----------------------	-----------------------------------



- Power
- Storage
- Control


- 8 Channel IQ NVR
- Smart power management
- Heater, fan, and warning light
- Surge protection

- 8 Channel IQ NVR
- Smart power management
- Fan, and warning light
- Surge protection

- Smart power management
- Heater, fan, and warning light
- Surge protection

Display Solution

MW-LC22	MW-LC24	MW-LC27
---------	---------	---------



- 22" 1080p Resolution
- 75Hz refresh rate
- HDMI & VGA

- 24" 1080p Resolution
- 75Hz refresh rate
- HDMI & VGA

- 27" 1080p Resolution
- 75Hz refresh rate
- HDMI & VGA

4G Network Camera & Solar

IPC2A14P-ADF40KC-4G-US	SLR-B320P60
------------------------	-------------



- 4 MP (2560 x 1440) 30fps
- Supports 4G
- AUDIO/ALARM I/O
- IR up to 50 m + LED
- Solar Support
- Mic and speaker

- 320Wh/60W Solar Power
- Maintenance module
- Peak power 60 W
- Operating voltage 4.5V
- Operating current 13.33 A

AI Cloud View NVR


NVR520-16BP16-A



- 16 Ch NVR
- 16 PoE Ports
- 2 HDD Slots
- 4K Display Solution
- 4 MP Rec-Resolution
- Provides Bridge to AICLUV

HYBRID SOLUTIONS

XVR301-08Q4	XVR302-16Q4	XVR302-32Q4	UAC-T125-AF28M-W	UAC-D125-AF28M
-------------	-------------	-------------	------------------	----------------



- 8 BNC'S
- Upto 4 Ch IP Input
- 1 HDD Slot
- 1080p Display Resolution
- 8MP Recording Resolution

- 16 BNC'S
- Upto 8 Ch IP Input
- 2 HDD Slots
- 4K Display Resolution
- 8MP Recording Resolution


- 32 BNC'S
- Upto 36 Ch IP Input
- 2 HDD Slots
- 4K Display Resolution
- 8MP Recording Resolution

- 5MP Resolution
- 1/2.7 CMOS Sensor
- LED distance: 40m
- Build In Mic, IP67

- 5MP Resolution
- 1/2.7 CMOS Sensor
- IR Distance: 30m
- Built In Mic, IP67 & IK10

ACCESSORIES

ED-525B-WB ED-525B-WB-GY Dual Lens Doorbell	IP3S02030-S 30W Outdoor IP Speaker	GCB01-B7 PRO CONNECT BOX	KB-1100-E	KOVO-VMS 280 Pro Mini PC (EzStation Preloaded)	OEI-372S-H-W Wall Mounted Indoor Station	OEU-201S-HMK-W Intercom Door Station
---	---------------------------------------	-----------------------------	-----------	---	---	---



- 3MP+2MP Cameras
- Package Detection + Alerts
- IR+LED Lights, 2-Way Audio
- UMD, IP65

- Camera Alarm Linkage
- 130 dB, PoE Powered
- Custom Audio, 2-way Audio
- Broadcast modes, IP66


- 1 Port PoE Power
- Lithium battery: 7500mAh
- Power & Configure UNV Cameras via UNV-Link Pro
- Connect via SSID

- 4" inch Display Screen
- 4 Dimensional Joystick
- Support Keyboard Lock
- Allows to set multi-level user permissions

- Intel® Core™ i5-12600H
- 32GB DDR4 RAM
- 512 GB PCIe Storage
- 2 HDMI,
- 2 RJ45 Ethernet Ports

- HD touchscreen
- IP camera monitoring
- Batch config & transfer
- Edge Storage
- PoE

- Built-in IC card reader
- Supports Wi-Fi
- Monitoring functions
- Security Alarm
- Tamper Alarm



Bi-lingual Technical Support Team
Available Mon - Friday: 8am - 8pm
Local: 647.559.3494
Toll Free: 855.956.3494
French Line: 514.800.1121
Email: support@univiewcanada.com

Did You Know? UNV Has Low Failure Rate of below 1%

UNV Devices support



UNV Product Warranty




IP Cameras
3 Years



PTZ Cameras
2 Years



Network Video Recorders
3 Years



www.univiewcanada.com
Sales: sales@univiewcanada.com
Technical Support: Support@univiewcanada.com
Disclaimer: All rights reserved, including final interpretation and content amendment.

Your Regional Distributor Name
